

STEEL PANEL RADIATORS

25
year
warranty



HIGH PERFORMANCE AND DESIGN

Steel panel radiators are not only high performance – elegance, superb finish and design are an integral part of the completed product.

What you and your family want most from a radiator – is to create a warm and comfortable home as quickly as possible and to be economical to run. Convector fins welded directly to the waterways increase the effective heating surface area – which in turn results in a significantly quicker warm up time for your home.

If you need confirmation of quality, every De Longhi panel has a 25 year guarantee against design or manufacturing defects from the date of installation.

finishes

High gloss white, unique finish both scratch and corrosion-resistant.

measurements

Heights from 300mm to 900mm.

Widths from 400mm up to 3000mm.


Available as single, compact, double and triple panels.

For full details PTO




DE LONGHI RADIATOR OUTPUTS AND DIMENSIONS


TABLES BASED ON ΔT 60°C - MEAN WATER TEMPERATURE IN RADIATOR OF 80°C AND ROOM TEMPERATURE OF 20°C
RADIATOR OUTPUTS TO EN442 STANDARD - NB: 400 HIGH SIZES AVAILABLE FOR ORDER (NOT EX STOCK)




Type 11 Single						
L-mm	H-mm	300	500	600	900	
400	kW	0.286	0.440	0.513	0.720	
500	kW	0.357	0.551	0.642	0.900	
600	kW	0.429	0.661	0.770	1.080	
700	kW	0.500	0.771	0.898	1.260	
800	kW	0.572	0.881	1.027	1.440	
900	kW	0.643	0.991	1.155	1.620	
1000	kW	0.715	1.101	1.283	1.800	
1100	kW	0.786	1.211	1.412	1.980	
1200	kW	0.857	1.321	1.540	2.160	
1400	kW	1.000	1.541	1.798	2.520	
1600	kW	1.143	1.762	2.053	2.880	
1800	kW	1.286	1.982	2.310	3.240	
2000	kW	1.429	2.202	2.566	3.600	
2300	kW	1.644	2.532	2.951		
2600	kW	1.858	2.863	3.336		
3000	kW	2.144	3.303	3.850		



Type 21 Compact						
L-mm	H-mm	300	500	600	900	
400	kW	0.419	0.629	0.731	1.035	
500	kW	0.523	0.786	0.918	1.294	
600	kW	0.628	0.913	1.096	1.553	
700	kW	0.733	1.100	1.278	1.812	
800	kW	0.837	1.257	1.461	2.071	
900	kW	0.942	1.415	1.644	2.330	
1000	kW	1.046	1.572	1.828	2.589	
1100	kW	1.151	1.729	2.009	2.847	
1200	kW	1.256	1.886	2.192	3.106	
1400	kW	1.465	2.200	2.557	3.624	
1600	kW	1.674	2.515	2.922	4.142	
1800	kW	1.884	2.829	3.287	4.659	
2000	kW	2.093	3.144	3.653	5.177	
2300	kW	2.407	3.615	4.200		
2600	kW	2.721	4.087	4.748		
3000	kW	3.139	4.715	5.479		




Type 22 Double						
L-mm	H-mm	300	500	600	900	
400	kW	0.505	0.778	0.901	1.226	
500	kW	0.631	0.972	1.128	1.533	
600	kW	0.757	1.166	1.351	1.839	
700	kW	0.883	1.361	1.576	2.146	
800	kW	1.009	1.555	1.802	2.453	
900	kW	1.136	1.750	2.027	2.759	
1000	kW	1.262	1.944	2.252	3.066	
1100	kW	1.388	2.139	2.477	3.372	
1200	kW	1.514	2.333	2.702	3.679	
1400	kW	1.766	2.722	3.153	4.292	
1600	kW	2.019	3.111	3.603	4.905	
1800	kW	2.271	3.499	4.054	5.518	
2000	kW	2.523	3.888	4.504	6.131	
2300	kW	2.902	4.472	5.180		
2600	kW	3.280	5.055	5.855		
3000	kW	3.785	5.832	6.758		



Type 33 Triple						
L-mm	H-mm	300	500	600	900	
400	kW	0.712	1.091	1.264	1.723	
500	kW	0.889	1.363	1.580	2.153	
600	kW	1.067	1.636	1.895	2.584	
700	kW	1.245	1.909	2.211	3.015	
800	kW	1.423	2.181	2.527	3.445	
900	kW	1.601	2.454	2.843	3.876	
1000	kW	1.779	2.727	3.159	4.307	
1100	kW	1.957	2.999	3.475	4.738	
1200	kW	2.135	3.272	3.791	5.168	
1400	kW	2.491	3.817	4.423	6.030	
1600	kW	2.846	4.363	5.055	6.891	
1800	kW	3.202	4.908	5.686	7.752	
2000	kW	3.558	5.453	6.318	8.614	
2300	kW	4.092	6.271	7.266		
2600	kW	4.625	7.089	8.214		
3000	kW	5.337	8.180	9.477		

STANDARD BRACKETS SUPPLIED WITH DE LONGHI RADIATORS



INSTRUCTIONS FOR PLACEMENT OF NOGGINS FOR DE LONGHI STEEL PANEL RADIATORS

